| PART NUMBER | | DESCRIPTION OF ITEMS INSIDE COMPLETE TOOL KIT |
|---|---|---|
| | 525-620 | Tool Kit w/ Pouch for 17B, 17C, 27, 17K, KM 37SS, KM 37, KMB 18/28 |
| | 525-768 | Tool Kit w/Pouch for KM 77/47 |
| | 525-630 | Tool Kit w/Pouch for KM 97 w/ 455 Reg |
| | T-06227987 | Torque Wrench 30-250 in LBS |
| | T-401SMCDI | Torque Screwdriver, CDI / Snap on brand 5-40 inch pounds |
| | DL-BP | Helmet Blanking Plate |
| | DL-KRPT | Knob Roll Pin Tool for SuperFlow/350 Regulators |
| | DL-PP-ORST | Pull Pin O-Ring Seating Tool |
| | DL-PP-TPS | Syringe Dispensing Tips for filling Pull Pins |
| | T-AC900 | EZ QD Adapter (goes with T-AC380) |
| | T-AC380 | Intermediate Pressure Gauge |
| | T-02623544 | 3/32" Pin Punch, Proto Brand |
| | T-06623805 | Brass Hammer |
| | T-16937 | 13 Piece Hex Key Set .050" - 3/8" |
| | T-D809440 | 3/8" Drive, Ratchet |
| | T-Ext-6IN | Extension for Ratchet, 6 inch |
| | T-ND-3-8 | Nut Driver 3/8" for pull pins |

| | | |
|---|---|---|
| | T-ND-1-4 | Nut Driver 1/4" for pull pins |
| | T-08100265 | Pliers-CirClip-Int-Ext-(Proto), Regulator snap ring pliers |
| | T-J253G | Pliers Soft Jaw |
| | T-Acid Brush | Acid Brush |
| | T-09301680 | Brass Brush |
| | T-CL | Christo Lube - 2 oz, O2 compatible |
| | T-111 | Valve Lubricant & Sealant Molykote, (Molykote from Dow Corning, 111 or equivalent |
| | T-Loc248 | Loctite Stick 248 (Blue, Medium) |
| | T-RTV | Dowsil 732 RTV Sealant 3 oz tube |
| | DL-16025 | Teflon Tape 1/4" |
| | T-81908 | 11 Piece Crowfoot Wrench Set 3/8" – 1" |
| | T-9930 | 11 pc Stubby Comb Wrench Set 3/8" - 1" |
| | T-68805 | Wrench Set (Brand & sizing may vary from picture) |
| | T-TL121 | Regulator In-Line Adjuster |
| | T-HL-404-DLX | Regulator In-Line Shut Off, 2nd Stage |
| | T-TL111 | O-Ring Picks, Bronze tips |
| | T-3528 | 7/8 Inch Thin Service Wrench |
| | T-45375 | 3/4" Deep Socket 3/8" Drive |

| | | |
|---|---|---|
| | T-45376 | 1/2″ Socket by 1/4" Drive for Stainless Steel Helmet, Port Retainer Adapter |
| | T-45386 | 7/16" Deep Socket 3/8" Drive |
| | T-93943 | 8" Adjustable Wrench |
| | T-TB | Dive Lab Test Block |
| | Tap-8-32 | 8-32 Hand Tap (4-flute), for face port insert tap |
| | Tap-10-24 | 10-24 Hand Tap (4-flute), for face port tap, SS helmets |
| | Tap-6-32 | 6-32 Hand Tap (4-flute), for SS Helmet snaps |
| | T-Tap | 0-1/4" T-Handle Tap Wrench |
| | T-tweezers | Tweezers |
| | T-FB-Driver | 1/4" Flat Blade "stubby" screwdriver, for side block alignment screw |
| | T-Phl-8 | Phillips Screwdriver |
| | T-FB-3-8 | Flat Blade Screwdriver |
| | T-NS-pl | Needle Nose Pliers |
| | T-200-002 | Flush Cutters (cable tie) |
| | T-250BD | 1/4 Inch Bit Drive |
| | DL-HBS-9 | Hex Bit Set 9-Piece |
| | DL-SPS-9 | Slotted/Phillips Bit Set |
|  | T-scribe | Metal Scribe |

| | | |
|---|---|---|
| | D-15048 | 6 Piece Wedge Set |
| | T-1510 w/lid organizer: | Pelican Case w/Mesh Lid Organizer |